

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI,  
OFFICE OF THE COMMISSIONER OF EXCISE, ENTT. & LUXURY TAX,  
L & N BLOCK, VIKAS BHAWAN, I.P. ESTATE, NEW DELHI-110002

No. F. 2(119)/Ex/R/Misc./2017-18/1288

Dated: 20/8/19

**ORDER**


Attention of all holders of Excise Licence in form L-15, L-15F, L-16, L-16F, L-17, L-17F, L-18, L-18F, L-19/L-19F, L-28, L-28F and L29, L29F ~~etc~~ hereby invited towards the Excise Department's order of even number dated 09.11.2017, wherein it was, inter alia, ordered that the liquor stock shall mandatorily be received through scanning the 1D Barcode and sold by scanning the 2D Barcode through the scanning device.

However, during the inspections, the enforcement teams of the Excise Department have reported several cases of violation of above directions. This has been viewed very seriously.

Therefore, all the licensees of Hotels/Clubs/Restaurants (HCR) are hereby once again directed to strictly comply with the above said order and ensure that all liquor is sold only after scanning 2D barcode of each liquor bottle.

Non-compliance of above direction may entail suspension and/or cancellation of Excise Licence including blacklisting of the Licensee.

This issues with the approval of the Competent Authority.



(RANJEET SINGH)  
DY. COMMISSIONER (EXCISE)


**All the existing licensees of Hotels/Clubs/Restaurants for strict compliance**

No. F. 2(119)/Ex/R/Misc./2017-18/

Dated:

Copy for information and necessary action:

1. Asstt. Commissioner (Enf.), Department of Excise, Govt. of NCT of Delhi, New Delhi.
2. Asstt. Commissioner (Policy), Department of Excise, Govt. of NCT of Delhi, New Delhi.
3. President, Hotel and Restaurant Association of Northern India, 406/7-76, Manisha Building, Nehru Place, New Delhi-110019.
4. President, National Restaurant Association of India, 4<sup>th</sup> Floor, Phase-II, PHD House, 4/2, Siri Institutional Area, August Kranti Marg, New Delhi-110016.
- ✓ 5. The Manager, TCS, Excise Department



(RANJEET SINGH)  
DY. COMMISSIONER (EXCISE)